



Substrate : >PP<



Remark : >PP< surface tension 52 dynes/cm or more



Treatment grade: St2 - SP-2 \ St3 – SP3



Coating process: MONO LAYER (one coat)



Pre - treatment : flame plasma or equivalent is highly recommended



S384

Basic Information			
Article Code SBPUS384MI9005	Family : POLYURETHANE Color : BLACK Compatibility : ICROMIX PASTES "S" SERIES Blend converter + paste : 1000+50 g\Kg	Thinner: S939 SLOW S901 STANDARD S932 FAST	Hardener \ Linker: S963 STANDARD S985 SLOW S900 FAST
Article Code SBPUS384GM99999	Family : POLYURETHANE Color : WHITE Compatibility : ICROMIX PASTES "S" SERIES Blend converter + paste : 1000 + 50 g\Kg		



S705

> PP< ADDITIVATION WITH S705 ADHESION PROMOTER (mix ratio 15%)



ALWAYS REFER TO TDS



FURTHER INFORMATION info@icro.it



Class : NONE



ITH-R0-2020.3